


## Roulement conique NN3014-K-NTN - NN3014-K-NTN

<https://www.123roulement.ch/roulement-palier/roulement-rouleaux/conique/nn3014-k-ntn>



Double Row Cylindrical Roller Bearing w/ Tapered Bore - Type NN - Dimensions

Technical Specifications		Imperial Specifications	
Type	Cylindrical Roller Bearing		2.7558 in 70.000 mm
Bore Type	Tapered	D	4.3311 in 110.000 mm
Material	Hardened Alloy Steel	B	1.1811 in 30.000 mm
Cage Material	High Strength, 2 piece, Polymer Brass	C	1.1811 in 30.000 mm
Limiting Speed - Oil	6900 RPM	Ew	3.9370 in 100.000 mm
Limiting Speed - Grease	5800 RPM	r	0.0433 in 1.100 mm
Taper	1:50	d <sub>min</sub>	3.0118 in 76.500 mm
Precision	ISO Class 0	d <sub>max</sub>	3.1052 in 79.000 mm
Configuration	Flange	D <sub>0 min</sub>	3.9764 in 101.000 mm
Oil Hole	w/o Oil Hole	D <sub>0 max</sub>	4.0748 in 103.500 mm
Radial Internal Clearance	CN	ra <sub>0 max</sub>	0.0394 in 1.000 mm
Static Load Rating	32000 lbf 143200 N 143.00 kN		
Dynamic Load Rating	31200 lbf 14000 N 14.00 kN		
Enclosure	Open		
Operating Temperature Range	-40 to 250 °F -40 to 120 °C		

### CARACTÉRISTIQUES PRODUIT

Marque	NTN
N° Ean13	3616060804792
Diam. intérieur	70 mm
Diam. intérieur	2.756" inch
Diam. extérieur	110 mm
Diam. extérieur	4.331" inch
Epaisseur	30 mm
Epaisseur	1.181" inch
Charge dynamique	94.5 kN
Charge statique	143 kN
Conditionnement	1

[contact@123roulement.ch](mailto:contact@123roulement.ch)

+33 359 36 04 90

CRT4 de Lesquin 60 Rue Du Haut De Sainghin 59273 Fretin FRANCE